

ALLIED PRESSROOM CHEMISTRY MATERIAL SAFETY DATA SHEET

	SE	CTIO	N 1 PRO		DENTIFICA	TION	AND USE		
PRODUCT IDENTIFIER : ENVIRO CtP PLATE CLEANER (Plate Cleaner for lithographic printing)							0-minimal, 1-slight, 2-r HEALTH HA	noderate, 3-serious, 4-severe ZAHRD: 1	
MANUFACTURER'S NAME: ALLIED PRESSROOM CHEMISTRY.							FIRE HAZAR REACTIVITY PROTECTIVI		
STREET ADDRESS 2040 LEE STREET, HOLLYV	VOOD, FLO	RIDA, 3	3020, USA						
DFFICE TELEPHONE: FAX 800-327-8487 95-		X: 4-923-6	462		24 HR. EMERGENCY TELEPHONE 800-424-9300 CHEMTREC		Safety Glasses G	Protective loves Apron	
THIS IS AN INDUSTRIAL PRODUCTS POSE AN IN COMPLETE LABEL AND	IHERENT I	HEALT OR SAF	H RISK. B E HANDL	EFORE USE	E ALWAYS RE EDURES	EAD	SKIN. DO NOT GET O	APORS. DO NOT GET IN EYES, N CLOTHING. DO NOT INGEST	
					DIENT INF		ATION		
INGREDIENTS *These ingredients are subject to the re requirements of SARA 313 and 40 CFI	R 372	%	CAS NUME		HAZARD DATA				
Aliphatic Petroleum Distill	ates 5	5 - 15	64741-4	1-9 ACGII	H (TWA-TLV)	100 ppm	ו		
Magnesium Nitrate*		2	10377-6	0-3	Not established				
Phosphoric Acid*		1	7661=38	3-2 ACGII	H (TWA-TLV) 1 mg/m3		3		
	ALL INGRE	DIENTS					ONTROL ACT (TSCA)		
			SECT	ION 3 - P	HYSICAL	DATA	L Contraction of the second		
PHYSICAL STATE THICK LIQUID				Emulsifiable	VATER SOLUBILITY imulsifiable			SPECIFIC GRAVITY 1.02	
VAPOR PRESSURE (MM Hg) of VOC materials < 3.0 @ 20°C	VAPOR D (AIR=1) >1	:1) (E			Butyl acetate = 1)		IG POINT (°F)	V.O.C.'s 0.81 lb per Gallon (98 g/l)	
		SEC	TION 4	- FIRE AI	ND EXPLO	SION	DATA		
FLAMMABILITY YES ■ NO □		IF YE	ES, UNDEI	२	t temperature				
EXTINGUISHING MEDIA CARBON DIOXIDE, DRY CHEMICAL			/ERSAL F	OAM.		SPECIAL FIRE FIGHTING PROCEDURES: Use self contained breathing apparatus if needed.			
FLASHPOINT (°F) AND METHOD 137 F by TCC		UPPER FLAMM (% BY VOLUME			ABLE LIMIT LC E) : Unknown (%		OWER FLAMMABL % BY VOLUME): Ur		
AUTOIGNITION TEMPERATURE (°C) Not Known			HAZARDOUS COMBUSTION PRODUCTS Oxides of carbon and hydrocarbons.						
EXPLOSION DATA * NOT KNOWN		SENSITIVITY TO IMPACT NO			SENSITIVIT NO	SENSITIVITY TO STATIC DISCHARGE NO			
			SECTI	ON 5 - RE	ACTIVITY	DAT	4		
CHEMICAL STABILITY CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERISATION YES ■ NO □ None									
INCOMPATIBILTY WITH Strong oxidizing agents, s				g bases					
HAZARDOUS DECOMPOSITION PRODUCTS: In contact with oper incandescent material will liberate carbon dioxide, carbon monoxide hydrocarbons						Th	is product is not pho	tochemically reactive	



PRODUCT IDENTIFIER * ENVIRO CtP PLATE CLEANER **SECTION 6 – TOXICOLOGICAL PROPERTIES** ROUTES OF ENTRY SKIN CONTACT EYE CONTACT INHALATION INGESTION SKIN ABSORPTION ACUTE EXPOSURE TO PRODUCT: Inhalation - Inhalation can cause irritation of the respiratory tract, signs of central nervous system depression, dizziness nausea and headache. Eye - Will cause severe irritation, burning, redness and tearing. Skin - Can cause irritation, redness burning and drying. Ingestion causes irritation of the digestive tract. Aspiration into the lungs can lead to pulmonary odema and chemical pneumonia which can prove fatal. CHRONIC EXPOSURE TO PRODUCT: Prolonged skin contact may aggravate an existing dermatitis. Pre-existing disorders of the lungs, (asthma-like conditions), may be aggravated by over-exposure. CARCINOGENICITY: No ingredient has been identified as carcinogenic or potentially carcinogenic by IARC, NTP or OSHA. TARGET ORGAN EFFECTS: Eye and skin irritant. Breathing of mists may affect respiratory system **EMERGENCY FIRST AID PROCEDURES:** EYES: Flush with running water for at least 15 minutes. Seek medical attention. SKIN: Wash affected area with soap and water. Remove contaminated clothing and launder before re-use. INHALATION: Remove victim to fresh air. Administer oxygen and/or artificial respiration if breathing difficulties occur. Seek medical attention. INGESTION: Do not induce vomiting. Material is an aspiration hazard, may enter lungs and cause lung damage. Seek immediate medical attention. SECTION 7 – PREVENTATIVE MEASURES GLOVES **RESPIRATOR:** Use NIOSH approved SCBA in EYE (SPECIFY) emergency situations or confined areas. Nitrile for incidental, non-immersion contact. Splash proof goggles or face shield CLOTHING : Boots, aprons, or chemical suits should be used when necessary to prevent skin contact. ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) : Use local exhaust or dilution ventilation as appropriate to control exposure below permissible levels. Vapors are heavier than air and will collect in low areas LEAK AND SPILL PROCEDURE: Extinguish all sources of ignition. Provide maximum ventilation. Dike area to contain spill. Take precautions to prevent contamination of ground and surface waters. Recover spilled material using absorbent material such as vermiculite and sweep into closed containers for disposal. WASTE DISPOSAL: Contaminated vermiculite or porous surface must be disposed of in a permitted hazardous waste facility. Recovered liquids may be reprocessed or incinerated in a permitted hazardous waste facility. In all cases material should be disposed of in accordance with all applicable regulations. HANDLING PROCEDURES AND EQUIPMENT: Keep container closed when not in use. Store only in closed, properly labeled containers. Store as COMBUSTIBLE LIQUID. Store in a cool, dry, well ventilated area away from heat sparks and open flames. Treat empty containers as containing hazardous residues. **SECTION 8 - ADDITIONAL INFORMATION** CALIFORNIA PROPOSITION 65: This regulation does not address "de minimis" levels. Therefore even trace amounts of chemicals on these lists must be identified. Trace quantities refer low levels of materials whose exact concentrations may not always be determined because of their minuteness. This product contains the following chemicals known by the state of California to cause cancer: Dimethylnitrosamine, formaldehyde. This product contains the following chemicals known by the state of California to cause reproductive harm : None SHIPPING INFORMATION: Not regulated for ground domestic shipment For air and export shipments: Flammable liquids, NOS (petroleum distillates), 3, UN 1993, PG III

SECTION 9 - PREPARATION AND DATE OF MSDS

PREPARED BY (GROUP DEPARTMENT, ETC.)	PHONE NUMBER	DATE
ALLIED PRESSROOM CHEMISTRY TECHNICAL SERVICES DEPARTMENT	1-800-327-8487	March 2010

The above information is believed to be correct as of the date hereof and is based on data supplied by raw material suppliers, however, no warranty of merchantability, fitness for use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with each use. Since the information contained herein may be applied under conditions beyond our control and with which we are unfamiliar, and since the data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its' use. This information is furnished on the condition that the person receiving it shall make his own determination as to the suitability of the material for his particular purpose and on the condition that he assume risk of his use thereof.