

# Hoechst Celanese

Hoechst Celanese Corporation Electronic Products Division P.O. Box 3700 50 Miester Avenue Somerville, NJ 08876-1258

#### **Material Safety Data Sheet**

THE EMERGENCY PHONE NUMBERS ARE: CHEMTREC FOR (NON EMERGENCY) PRODUCT INFORMATION CALL: (908) 231-4944 PAGE 1 -----PRODUCT IDENTIFICATION-VERSION DATE: 09/30/88 DATE PRINTED: 12/10/90 MSDS NUMBER: 510060651 PRODUCT NAME: ENCO FPC SYNONYMS: FPC FINISHER/PRESERVER/CLEANER CHEMICAL FAMILY: LITHOGRAPHIC PLATE PROCESSING SOLUTION -----HAZARDOUS INGREDIENTS-----PERCENT: HAZARD DATA: INGREDIENT: HIGH BOILING CONTACT AND INHALATION HAZARD. PRODUCT IS COMBUSTIBLE. PETROLEUM SPIRITS 11% CAS# 64742-48-9 SEE EFFECTS OF OVEREXPOSURE WATER(7732-18-5), DEXTRIN(9004-53-9) OR DEHYDRATED CORN SYRUP NJ/PA RIGHT-TO-KNOW LISTING (68138-37-3), MONOSODIUM PHOSPHATE (7558-80-7), POLY-ETHYLENE GLYCOL (25322-68-3) -----PHYSICAL DATA-----UNITS LOW HIGH PHYSICAL DATA BOILING POINT % VOLATILE > 212 89 1.00 SPECIFIC GRAVITY (WATER =1) <ETHER EVAPORATION RATE VAPOR DENSITY (AIR=1) APPEARANCE AND ODOR: MILKY WHITE LIQUID. SWEET SMELL. -----FIRE AND EXPLOSION HAZARDS-----FLASH POINT: 142 of CLOSED CUP EXTINGUISHING MEDIA: CARBON DIOXIDE, WATER SPRAY, FOAM OR DRY CHEMICAL. SPECIAL PROCEDURES: USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. -----HEALTH INFORMATION------PRIMARY ROUTE OF EXPOSURE: INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO ALSO SKIN AND EYE CONTACT WITH LIQUID AND VAPORS. EFFECTS OF OVEREXPOSURE: FOUND TO BE A SLIGHT IRRITANT WHEN TESTED ON RABBIT SKIN.
FOUND TO BE A NON-IRRITANT WHEN TESTED ON RABBIT EYES.
MAY CAUSE EYE OR SKIN IRRITATION.
EXPOSURE TO HIGH CONCENTRATIONS OF THE VAPOR MAY CAUSE HEADACHE, DIZZINESS, AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS.

NTP: NO

OSHA: NO

CARCINOGEN:

IARC: NO

# **Hoechst Celanese**

Hoechst Celanese Corporation Electronic Products Division P.O. Box 3700 50 Miester Avenue Somerville, NJ 08876-1258

## **Material Safety Data Sheet**

	THE EMERGENCY PHONE NUMBERS ARE: CHEMTREC (800) 424-9300 HOECHST CELANESE (908) 231-4944 FOR (NON EMERGENCY) PRODUCT INFORMATION CALL: (908) 231-3445 PAGE 2
	PRODUCT NAME: MSDS NUMBER: 510060651
	ENCO FPC
	T.L.V.: TWA* 100 PPM
	TEXT: * HIGH BOILING PETROLEUM SPIRITS.
	EMERGENCY AND FIRST AID PROCEDURE
	INHALATION: CONSULT PHYSICIAN IF IRRITATION OF RESPIRATORY PASSAGES OCCURS.
	EYE CONTACT: FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN.
	SKIN CONTACT: WASH WITH SOAP AND WATER. CONSULT PHYSICIAN IF IRRITATION OR OTHER SYMPTOMS OCCUR.
Ž	INGESTION: CONSULT PHYSICIAN.
	ADDITIONAL MEASURES: NONE
	REACTIVITY DATA
	CHEMICAL STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
	HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY GENERATE CARBON MONOXIDE AND CARBON DIOXIDE
	SPILL OR LEAK PROCEDURES/WASTE DISPOSAL
	SPILL OR LEAK PROCEDURES: REMOVE ALL SPARKING DEVICES OR IGNITION SOURCES. COLLECT ONTO INERT ABSORBENT. PLACE IN SUITABLE CONTAINER. RINSE RESIDUAL WITH WATER.
	WASTE DISPOSAL: DISPOSE OF OR INCINERATE IN ACCORDANCE WITH REGULATIONSEMPLOYEE PROTECTION
	RESPIRATORY PROTECTION: CHEMICAL CARTRIDGE RESPIRATOR RECOMMENDED FOR EXPOSURES EXCEEDING TLV. SEE SPECIAL PRECAUTIONS.
	PROTECTIVE CLOTHING: CLOTHING SUITABLE TO AVOID SKIN CONTACT. SAFETY GOGGLES. RUBBER GLOVES.
ا آ	ADDITIONAL PROTECTIVE MEASURES: LOCAL EXHAUST RECOMMENDED. CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING WITH THIS CHEMICAL.

## Hoechst Celanese

Hoechst Celanese Corporation Electronic Products Division P.O. Box 3700 50 Miester Avenue Somerville, NJ 08876-1258

### **Material Safety Data Sheet**

FOR (NON EMERGENCY) PRODUCT INFORMATION CALL: (908) 231-3445
PRODUCT NAME. PAGE 3 MSDS NUMBER: 510060651 PRODUCT NAME: ENCO FPC STORE IN ORIGINAL CONTAINER. KEEP TIGHTLY SEALED. -----CTHER REGULATORY CONTROLS------OTHER REGULATORY CONTROLS:
THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.
THIS PRODUCT CONTAINS THE TOXIC CHEMICAL OR CHEMICALS LISTED BELOW,
WHICH ARE SUBJECT TO THE SUPPLIER NOTIFICATION REQUIREMENTS OF
SECTION 313 OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF
1986 ("SARA") AND THE REQUIREMENTS OF 40 CFR PART 372. PERCENT INGREDIENT CAS # 7664-38-2 PHOSPHORIC ACID OSHA PHYSICAL HAZARDS: COMBUSTIBLE LIQUID

OSHA HEALTH HAZARDS: EYE HAZARD IRRITANT SKIN HAZARD

SARA HAZARD CLASS: ACUTE: YES CHRONIC: NO FIRE HAZARD: YES PRESSURE: NO REACTIVITY: NO