

Date 1/20/2009

	н	М	Т	S	
Minimal Slight Moderate	0	Ratings Serious Severe	3 4	Health Flammability Reactivity	0 1 0

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Van Son Holland Ink Corporation of America MANUFACTURER: Tower Products, Inc. MANUFACTURER: 185 Oval Drive Islandia, NY 11749 Emergency Telephone: 631-715-7000

2703 Freemansburg Ave. Easton, PA 18045

Chemtrec 24 Hour Emergency No-800-424-9300

Manufacturer s Code ID: V2162

## 2. INGREDIENT COMPOSITION INFORMATION

Ingredient	CASNO.	W T %	OSHA (PEL)	ACGIH (TLV)	Carcinogen
Technical White Oil	8042-47-5	85-95	N/A	N/A	No
Starch	9005-25-8	3-5	N/A	N/A	No
Soybean Oil	8001-22-7	10-20	N/A	N/A	No
Silican Diaxide	7631-86-9	4-6	N/A	10mg/M3	No
				(as dust)	

## **3. HAZARDS IDENTIFICATION**

Product Class: Printing ink additive

Trade Name: Van Son Tack Reducer

OSHA Hazard Communication 29 CFR 1910.1200 ......

### **4. FIRST AID MEASURES**

#### EFFECTS OF OVEREXPOSURE

Eye Contact Direct contact may cause invitation.

Skin Contact Prolonged contact or repeated exposure may cause irritation.

Excess inhalation of mist or vapor may cause dizziness, nausea or irritation of nasal and respiratory pas-Inhalation sages.

Ingestion May cause gastrointestinal irritation.

Medical Conditions aggravated by normal exposure Persons with dermatitis should avoid skin contact.

Skin, eyes, lungs. Target Organs

Primary Routes of entry Eyes, inhalation, dermal.

#### EMERGENCY FIRST AID PROCEDURES

Eye Contact Gently flush with large amounts of water until initiation subsides. If initiation persists, contact a physician. Remove contaminated clothing and wash thoroughly before reusing. Wash affected skin areas with Skin Contact scap and water.

Seek medical attention if irritation persists

If swallowed, do not induce vomiting. Call a physician or poison control center. Ingestion

Inhalation Remove individual to fresh air.

### **5. FIRE FIGHTING MEASURES**

Flash Point	Above 260 F Method used: closed cup
Explosion Limits	LEL:1.1 UEL:6.0
	Foam, carbon dioxide, dry chemical fire apparatus. Water spray may be
	applied to cool exposed closed containers.
Unusual Fire and Explosion Hazards	Dense smoke may be generated when burning. Carbon Monoxide and
-	Carbon Dioxide generated as combustion products
Special Fire Fighting Procedures	Self-contained breathing apparatus recommended.

## 6. ACCIDENTAL RELEASE MEASURES

Procedure when material spilled or released: W ipe up. Dispose of wipes in approved waste containers for flammable liquids. If petroleum hydrocarbon is used, provide sufficient vertilation.

W aste Disposal Method: Dispose of in accordance with Federal, State and Local regulations.

## 7. HANDLING AND STORAGE

Handling: Avoid storage above 90 F. Keep containers closed when not in use. Other Precautions: None required.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation Use sufficient ventilation.

Protective Gloves Impermeable gloves recommended to prevent skin irritation and absorption. Respiratory Protection None required. Eye Protection Safety glasses recommended. Other Protection None recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Volatile Organic Compounds: (VOCs) 2.67 lbs./gallon Boiling Range °F:> 520-580 Vapor Density vs. Air: Heavier Density: 8.04 lbs./gallon ASTMD1475 Type of Odor: Light Chemical Appearance: Semi opaque paste Evaporation Rate vs. Butyl Acetate: Slower Percentage Volatile By Weight: 80% ASTMD2369 260 Grams/liter Method 24 Freezing Point °F: N/A Vapor Pressure: less than 0.04 psi Specific Gravity: 0.97 Odor Threshold: High pH: N/A Coefficient of Water/oil Distribution: N/A

### **10. STABILITY AND REACTIVITY**

Product Stability:StableConditions to Avoid:Strong oxidizing agents, acids and bases. Avoid storage above 90 F.<br/>Keep containers closed when not in use.Hazardous DecompositionProducts:Carbon Monoxide, Carbon Dioxide and smoke.

Hazardous Polymerization: Will not occur.

## **11. TOXICOLOGICAL INFORMATION**

Carcinogen ...... Contains no materials that are considered carcinogenic by National Toxicology Program (NTP), International Agency for Research on Cancer (IARC) or OSHA.

Mutagen ......No Teratogen .....No Reproductive Toxicity No

### **12. ECOLOGICAL INFORMATION**

This product has not been evaluated, but there is no evidence to suggest it will cause any significant environmental problem.

#### **13. DISPOSAL CONSIDERATIONS**

Material Released or spilled: This product is not regulated under the Federal Resource Conservation and Recovery Act (RCRA) as a hazardous waste. State and/or local regulations may apply.Spill should be contained, absorbed with suitable absorbent material and placed in suitable containers for disposal in a licensed facility in accordance with Local, State and Federal laws. Do not discharge into waterways or sewer systems.

14. TRANSPORT INFORMATION DOT (HM 181) : Not required

Shipping Labels: None required

## **15. REGULATORY INFORMATION**

TSCA (Toxic Substance Control Act) CERCLA Superfund 40CFR 117.302	Contains no reportable materials
SARATitleIII	None.
FDA	
	for direct or indirect contact with food.
EINECS (European Economic Community)	All ingredients listed.
California Proposition 65	None
CONEG Legislation	Meets all current State and Heavy Metal limitations.
Canadian WHMIS	Nan-cantrolled product.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of the knowledge of Van Son Holland Ink Corporation of America. The data on this sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The hazards covered are believed to be those most likely to occur in the reasonable or ordinary use of these materials. Van Son Holland Ink Corporation of America assumes no legal responsibility for use or reliance on this data.