Varn International, Inc., a Flint Group Company

14909 N. Beck Road Plymouth, MI 48180

For Product Questions call: (800) 336-VARN(8276) For Health and Safety Questions call: (800) 336-VARN(8276)

After Hours Emergency Health/Safety Questions: (800) 391-0698 Prosar (US/Canada) 24 Hour Emergency Spill Contact call: (800) 424-9300 Chemtrec (US/Canada)

Material Safety Data Sheet

I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ANTI SET-OFF POWDER
Product Code: 650-B016POWDERS
MSD-POWDERS

Revision Number:

Revision Date: 2011-03-06 11:13:05

II. COMPOSITION/INFORMATION ON INGREDIENTS

 CAS#
 Chemical Name
 %

 9005-25-8
 Starch
 60 - 99

 Proprietary
 Calcium Silicate
 0 - 1.5

Please see Section VIII for product and component exposure guidelines.

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

III. HAZARDS IDENTIFICATION

HMIS Rating Health: 1 Flammability: 1 Reactivity: 0

This product falls under the following WHMIS class:

This product is not controlled. Ce produit n'est pas contrôlé.

Immediate (Acute) Health Effects by Route of Exposure

Inhalation: Can cause minor respiratory irritation.

Skin Contact: Can cause minor skin irritation.

Eye Contact: Can cause minor irritation, tearing and reddening.

Ingestion: No hazard in normal industrial use.

Long-Term (Chronic) Health Effects

Reproductive andNo data available to indicate product or any components present at greater than

Developmental: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Ingredients of this product appear on the following OSHA identified carcinogen lists at >= 0.1% by

weight (yes/no):

OSHA No NTP No IARC 1 & 2A No NIOSH No

IARC 2B No

IV. FIRST-AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen.

Eyes: Use an eye wash to remove a chemical from your eye regardless of the level of

hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after

flushing.

Skin Contact: Wash with soap and water.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this MSDS.

V. FIRE FIGHTING MEASURES

Flammability A dust explosion is possible if finely divided material is dispersed in air at a

Summary: sufficiently high concentration and an ignition source is present.

Extinguishing Media: Use water spray/fog for cooling. Water spray

Fire and/or Explosion No data. Dust accumulation from this product may present an explosion hazard

Hazards: in the presence of an ignition source.

Fire Fighting Difficult to ignite, no special instructions available. Use methods appropriate for

Methods and surrounding materials.

Protection:

Hazardous Carbon dioxide, Carbon monoxide

Combustion Silicon dioxide

Products:

Flash Point: Not applicable to this product in the physical state

described in Section IX. Dusts at sufficient

concentrations can form explosive mixtures with air. (See Section V for the Flammability Summary)

Firepoint: Firepoint not determined.

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in

Section VIII of this MSDS

VII. HANDLING AND STORAGE

HandlingMildly irritating material. Avoid unnecessary exposure. Avoid creating dusts as an explosive dust air mixture can be created at high concentrations. If dusts are

an explosive dust air mixture can be created at high concentrations. If dusts are created, ensure no sources of ignition are present. Take precautionary

measures to prevent electrostatic discharges.

Storage Conditions: Store in a cool dry place. Isolate from incompatible materials.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering General room ventilation might be required to maintain operator comfort under

Measures: normal conditions of use.

Respiratory No respiratory protection required under normal conditions of use.

Protection:

Eye Protection: Wear safety glasses with side shields when handling this product. Have an eye

wash station available.

ANTI SET-OFF POWDER

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact,

practice good personal hygiene. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Gloves: Wear impervious material. No hand protection required under normal conditions

of use.

Exposure Guidelines:

CAS#	Chemical Name	OSHA Exposure Limits	ACGIH TLV - TWA	ACGIH STEL	IDLH
9005-25-8	Starch	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	10 mg/m3 TWA	No STEL	Not on list
Proprietary	Calcium Silicate	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	10 mg/m3 TWA (synthetic nonfibrous, particulate matter containing no asbestos and <1% crystalline silica)	No STEL	Not on list

If this product is provided in a dry powder state it should be considered a nuisance dust (PEL 10 mg/m3).

If the processing of this product produces a mist it should be considered to be an oil mist with a PEL of 5 mg/m3.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Powder
Color:	White
Odor:	None to very faint
Solubility in Water:	Not determined
Volatile Organic Chemicals % by wt:	0.00
VOC lb/gal	0.00
Specific Gravity:	1.49
Bulk Density (lbs/Gal):	12.41
Bulk Density (kg/L):	1.49

X. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Avoid the build up of dust in the air. Risk of dust explosion.

Materials to Strong oxidizing agents.

Avoid/Chemical Incompatibility:

Hazardous Silicon dioxide Carbon dioxide, Carbon monoxide

Decomposition Products:

XI. TOXICOLOGICAL INFORMATION

Component Toxicology Data (NIOSH):

CAS# Chemical Name LD50/LC50
9005-25-8 Starch No data available

Proprietary Calcium Silicate Oral LD50 Rat 3400 mg/kg

XII. DISPOSAL CONSIDERATIONS

Waste Description Spent or discarded material is non-hazardous according to environmental

for Spent Product: regulations.

Disposal Methods: Dispose in accordance with Federal, State, Provincial and Local regulations.

Material may be compatible with industrial waste incineration or inclusion in a fuel blending program. This characterization is subject to approval by your waste

management contractor. This material should be recycled if possible.

XIII. REGULATORY INFORMATION

TSCA StatusAll ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Chemical NameCAS #Regulation
CERCLAPercentageNot on listNPRI (Cdn)Not on listPROP 65Not on listSARA 313Not on listSARA EHS

The following items require export notification for TSCA

Chemical Name TSCA 12b list section

Not on list

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations and the MSDS contains information required by the Controlled Products Regulations.

XIV. TRANSPORTATION INFORMATION

49CFR/TDG - Bulk: NOT REGULATED NOT REGULATED IMDG - Bulk: NOT REGULATED

XV. ADDITIONAL INFORMATION

References:

Disclaimer: Varn International, Inc. a Flint Group Company has prepared this Material Safety Data Sheet ("MSDS") in compliance with 29 CFR 1910.1200, understands that its customers may use this MSDS to comply with that section, and believes that the data set forth herein are accurate as of the date hereof; however, this MSDS shall not constitute a warranty with respect thereto.